ACTION PLAN

Report of the Air Quality Task Force (AQTF)

Hamilton Area Airshed

December 2013




Table of Contents

Executive Summary	2
Background	3
Air Quality Task Force	3
Vision	4
Airshed Management System	4
Components of the Action Plan	5
i) Air Monitoring and Modellingii) Planningiii) Education & Outreachiv) Municipal Action	7 8
Conclusion	10
Appendix A: AQTF Recommendations	11
Appendix B: Draft Air Quality Assessment Guidelines	12
Appendix C: Draft Land Use Compatibility Guidelines	13
References	14

Executive Summary

The Air Quality Task Force (AQTF) working group consisted of members from Clean Air Hamilton (CAH) who since 1998 have been working to improve air quality throughout the City of Hamilton. For well over a decade, CAH has provided City Council, City staff and the community with science-based information essential for better decision-making in the promotion and protection of air quality. The AQTF was established as a result of the motion passed on December 3rd, 2012 by the Hamilton Board of Health with the mandate to: "...investigate and make recommendations to the City on actions that can be taken to reduce air pollution in Hamilton." This motion was brought forth as a result of local citizen concern about: "...residing in neighbourhoods in close proximity to Hamilton's industrial core as they relate to air quality" (City of Hamilton Public Health Services BOH 12035, 2012).

Therefore, with their collective and extensive knowledge of air quality issues in the City of Hamilton, the AQTF developed a list of 10 recommendations: "on actions that can be taken to reduce air pollution in Hamilton" (Appendix A).

The AQTF believes an effective response going forward will include a suite of different actions intended to address the complicated interaction of Hamilton's unique geography, multiple sources of air pollution and the distribution of various land uses and transportation infrastructure within the City of Hamilton.

Further, many of the efforts to date have involved simple actions which have resulted in significant air quality improvements. However, further improvements in air quality may be dependent on more complex strategies required to address the complexity of Hamilton's airshed.

Air quality in the City of Hamilton is influenced by pollution coming into the City from long-range trans-boundary sources, local emissions generated from energy use, industrial releases, emissions from transportation sources and by meteorological conditions and atmospheric processes (CAH, 2013). Therefore, it is important to stress that air pollution issues in the City of Hamilton are complex with multiple sources generated by different contributors impacting local air quality; accordingly measures to reduce air pollution must take into account this complexity.

The AQTF emphasizes the importance of providing City of Hamilton residents with the tools to inform individual actions to reduce personal exposures. In order to be able to provide the public with such information, the AQTF recognizes the important role of air quality modeling as a tool designed to provide the information required to guide individual choices.

There have been numerous studies from all over the world confirming the adverse effects of air pollution on the health of a population (Kunzli and Perez, 2009). Short spikes or peaks in air pollution have been linked to school and work absenteeism, asthma symptoms, hospital admissions and emergency department visits for heart and

lung conditions, and premature deaths. Furthermore, increases in heart and lung cancer and reduced life expectancy have been statistically linked to chronic PM_{2.5} exposure (Pope et al., 2002).

In Ontario, it is estimated that short-term and long-term exposure to air pollution contributes to more than 5,800 premature deaths, 16,000 hospital admissions, 60,000 emergency room visits and at least 29 million minor illness days per year (Ontario Medical Association, 2005). In addition, long-term exposure to $PM_{2.5}$ is estimated to contribute to approximately 9,500 premature deaths across Canada (Canadian Medical Association, 2008).

In Hamilton, it is estimated that air pollution contributes to approximately 186 premature deaths, 395 respiratory hospital admissions and 322 cardiovascular hospital admissions each year (SENES, 2012).

Clean Air Hamilton (2013) reports that despite long-term reductions over recent decades, the annual values for pollutants known to be hazardous to human health - PM_{10} , $PM_{2.5}$, SO_2 , benzene and benzo[a]pyrene - have all shown modest increases over the past three to four years. Moreover, in Hamilton, mobile air monitoring studies report that higher pollutant exposures were measured along arterial roads, major highways and intersections due to emissions from automobiles, light-duty and heavy-duty trucks (CAH, 2013). Therefore, monitoring has been instrumental in providing helpful information on key air pollutant types and sources in the City of Hamilton.

This report presents and describes components of an action plan that looks to the individual, community, and all levels of government to take steps toward a comprehensive approach to air pollution reduction in the City of Hamilton.

Background

On December 3rd, 2012, the Hamilton Board of Health passed a motion that received and approved the following recommendation: "That Clean Air Hamilton establishes a working group to investigate and make recommendations to the City on actions that can be taken to reduce air pollution in Hamilton." Members of Clean Air Hamilton (CAH) were informed of the motion passed by the Board of Health, mandating that CAH form a task force to investigate and bring forward recommendations on actions that can be taken to reduce air pollution in Hamilton.

Air Quality Task Force (AQTF)

Participation on this task force was open to interested members of Clean Air Hamilton. The task force Chairperson, a member of Clean Air Hamilton ,led the group toward satisfying the mandate from the Board of Health. The Air Quality Task Force (AQTF) met on a monthly basis in 2013.

The AQTF consulted with stakeholders in order to develop its recommendations to the Board of Health about what actions should be taken to improve air quality.

The AQTF developed this action plan which contains recommendations in the following areas:

- i. Air monitoring and modelling;
- ii. Planning:
- iii. Education & outreach; and
- iv. Municipal action

Vision

Through the collective involvement of citizens, community and government in the City of Hamilton (Figure 1), the AQTF supports: "actions that can be taken to reduce air pollution in Hamilton" and that have the potential to result in:

- Improved human health due to decreased exposure to air pollutants
- A sustainable environment which receives fewer and lower emissions and produces less detriment to the local airshed
- A higher quality of life for individuals who live and/or work in the City of Hamilton
- A legacy for future generations that includes a cleaner environment

Airshed Management System


An airshed has been described as: "a defined physical geographical area which is covered by a volume of air that has similar characteristics and into which air pollutants are deposited and often remain for a period of time" (Balsillie, 2010). It is important to note that the area may be made up of many jurisdictions since emissions from one jurisdiction have the potential to impact air quality in other jurisdictions.

It is recognized that multiple emission sources, including those from the transportation, industrial and residential sectors, all contribute to air pollution concerns and will only increase with population growth. In order to address these multiple emission sources, an integrated approach with multi-stakeholder participation is essential.

Stakeholder engagement and involvement with respect to control actions taken in response to evidence-based results, air monitoring and modeling, education and outreach, as well as planning are all critical to improving air quality in the City of Hamilton.

The AQTF brings forward 10 recommendations "on actions that can be taken to reduce air pollution in Hamilton" (Appendix A). The 10 recommendations have been organized from one to ten with each recommendation building on the previous one thereby creating an integrated and comprehensive approach to air pollution reduction for the City of Hamilton to apply. Therefore, ordering of recommendations has been done in a systematic manner rather than one of priority.

Figure 1. Collaborative partnership to reduce air pollution in Hamilton



Components of the Action Plan

i) Air Modelling and Monitoring

There are now advanced air quality models available that can be used to determine the contribution of air pollution to the geographical distribution of ambient air concentrations that residents are exposed to right down to a neighbourhood level. Emissions from multiple sources including transportation, industry, agriculture/biogenic emissions, community and residential and long-range sources (i.e. transboundary) can be accounted for in these air quality models. Moreover, existing inventories and data including those from the US EPA, Environment Canada, Ministry of Environment, the Hamilton Air Monitoring

Network (HAMN) and Ministry of Transportation will be incorporated into the air quality modelling system.

Air quality modelling is an essential tool since it not only explains current air quality conditions, it can also predict air quality using forecast conditions. Air quality models use data on emission sources and data on atmospheric processes and terrain characteristics to forecast ambient air quality and the contribution of different sectors to local air quality. Therefore, numerous potential future scenarios such as new policy implementation and/or proposed new sources of emissions can be estimated beforehand with the use of air quality modelling to inform effective mitigation strategies. With the use of advanced air quality modelling, the City of Hamilton could gain a better understanding of the contribution of emissions from different sectors and would be able to predict potential impacts of policies pertaining to new development, land use and transportation on air quality. Members of the Hamilton Industrial Environmental Association (HIEA) have already expressed readiness to invest in an advanced airshed model. The great value of advanced airshed modelling has already been recognized by neighbouring municipalities such as Halton and Peel Region, which have put such systems in place. Therefore, the AQTF brings forward:

RECOMMENDATION 1

Commit to partnerships with interested stakeholders to fund the development of an advanced air model for the City of Hamilton.

Because air modelling is dependent on air monitoring data, the AQTF brings forward:

RECOMMENDATION 2

Strengthen air monitoring activities through additional:

- a. Neighbourhood mobile monitoring surveys:
- b. Number and location of air monitors:
- c. Monitoring strategies and technologies.

ii) Planning

Land-use planning is critical for managing air quality levels in the City of Hamilton. By considering land-use planning early on in the process, future localized air quality issues impacting sensitive land uses can be avoided or minimized. The importance of this early involvement in land-use planning has been recognized and outlined by Halton Region in two draft reports.

The first includes the Draft Air Quality Assessment Guidelines (Appendix B) which provide a framework for the municipal decision-making practice pertaining to sensitive land uses and residential, industrial, transportation and utility development applications in order to uncover the potential for harmful impacts to air quality.

The second includes the Draft Land Use Compatibility Guidelines (Appendix C) which are set out to protect and improve the health and quality of life of people within the area by endorsing the implementation of Regional Official Plan Amendment 38 (ROPA 38) policies on land use compatibility. This policy aims to minimize the negative impacts of air pollution from industrial, transportation and utility sources on sensitive land uses. Therefore, guidance is offered to developers with respect to land use compatibility issues via the planning and development approval process such that appropriate development is advanced and factors such as intensification, mixed use communities, and transit supportive urban form are taken into consideration.

Therefore, the AQTF brings forward:

RECOMMENDATION 3

Develop appropriate air quality related guidelines for new and redeveloping neighbourhood land use planning. These guidelines should consider the potential impacts of personal transportation, arterial roads, 400 series highways and site specific and technical standards for industrial emissions.

In addition, the US EPA (2013) reports that vegetation can reduce ground level ozone by reducing air temperatures, reducing power plant emissions associated with air conditioning, and removing air pollutants. It is noted that green infrastructure features can reduce particulate matter by absorbing and filtering it. Moreover, a study on the benefits of green infrastructure conducted in the City of Philadelphia has found green infrastructure has the potential to reduce ozone and particulate pollution levels significantly enough to reduce mortality, hospital

admissions, and work loss days (Stratus Consulting Inc., 2009). Not only do green roofs reduce air pollution but they also reduce urban heat-island impact, control storm water runoff and lower energy consumption (City of Hamilton, 2011). The City of Toronto has recognized the importance of green roofs and and street shading by implementing supportive bylaws. Therefore, the AQTF brings forward:

RECOMMENDATION 4

Promote green infrastructure (i.e. green roofs, street shading) to be supported by citizens, organizations and government.

iii) Education & Outreach

Air quality data must be shared with key stakeholders, including community members and government, effectively such that knowledge and awareness of air quality conditions in the City of Hamilton can be increased and collective air pollution reduction and risk management strategies can be undertaken. Paying careful attention to the manner in which environmental health information is presented will allow citizens to incorporate important information into their health decision-making processes (Peters, Hibbard, Slovic, Dieckmann, 2007). Therefore, the AQTF brings forward:

RECOMMENDATION 5

Provide individuals with tools to minimize their personal exposure. These tools should include a real-time map of air quality conditions in the City of Hamilton to encourage alternative modes of transportation such that citizens have the opportunity to select pedestrian and cycling routes which would minimize their personal exposure to air pollution.

Since previous engagement with local business operators about fugitive dusts and environmental impacts has fostered air pollution reduction measures (CAH, 2010), the AQTF brings forward:

RECOMMENDATION 6

Develop and conduct particulate matter control workshops in partnership with the Ontario Ministry of the Environment for local businesses and industries.

Because health decision-making processes in adulthood are shaped by early life course experiences (Umberson, Crosnoe, Reczek, 2010), the AQTF brings forward:

RECOMMENDATION 7

Expand the Air Quality Outreach Program within Hamilton schools such that air quality curriculum (ie., benefits of anti-idling, active transportation commuting routes, etc.) is promoted.

In view of the fact that community-based environmental monitoring empowers community members with respect to influencing air quality and striving for change (Ottinger, 2010), the AQTF brings forward:

RECOMMENDATION 8

Promote programs that encourage community-based environmental monitoring and engagement within the City of Hamilton.

iv) Municipal Actions

As noted earlier in the report, $PM_{2.5}$ levels have shown modest increases over the past three to four years in Hamilton (CAH, 2013). Research has found that fine particulate matter is harmful to human health (Pope et al., 2002). This increase in $PM_{2.5}$ suggests that further opportunities for improvement are needed. Recognizing that $PM_{2.5}$ comes from many different sources, the AQTF brings forward:

RECOMMENDATION 9

Support the revision, updating and enforcement of existing bylaws to minimize the generation and dispersion of airborne particulate matter.

Given that street washing has been identified as an effective strategy to mitigate curb side particulate matter (Amato et. al., 2009). The AQTF brings forward:

RECOMMEDATION 10

Implement strategies to improve street cleaning by taking into account factors such as cleaning schedules and equipment effectiveness.

Conclusion

Although there has been a downward trend in pollutant levels since the mid-1990s, recent (3-4 year) increases in PM_{10} , $PM_{2.5}$, SO_2 , benzene and benzo[a]pyrene are of concern and require direct attention. The AQTF was mandated to investigate and bring forward recommendations on actions that can be taken to reduce air pollution in Hamilton. Since multiple emission sources including those from the transportation, industrial and residential sectors contribute to air pollution in Hamilton, an integrated approach with citizens, community and government is essential. After consulting with stakeholders, the AQTF has brought forward 10 recommendations in this action plan to reduce air pollution in Hamilton. These 10 recommendations - built upon air monitoring and modelling, planning, education and outreach, green infrastructure and municipal action - are expected to work synergistically to achieve air pollution reductions in the City of Hamilton. Careful consideration of each recommendation in ascending order is necessary to understand the benefits of an integrated and comprehensive action plan to address air pollution in the City of Hamilton.

Appendix A **AQTF Recommendations**

Component	Recommendation #	Description	Preliminary Cost Estimates (\$)	Timeframe
Air Monitoring and Modelling	1	Commit to partnerships with interested stakeholders to fund the development of an advanced air model for the City of Hamilton.	250 000/3	over 2 year period
	2	Strengthen air monitoring activities through additional: a. neighbourhood mobile monitoring surveys; b. number and location of air monitors; c. monitoring stations and technologies.	100 000	1 year
Planning	3	Develop appropriate air quality related guidelines for new and redeveloping neighbourhood land use planning. These guidelines should consider the potential impacts of personal transportation, arterial roads, 400 series highways and site specific and technical standards for industrial emissions.	50 000	1 year
	4	Promote green infrastructure (i.e. green roofs, street shading) to be supported by citizens, organizations and government.		
Education & Outreach	5	Provide individuals with tools to minimize their personal exposure. These tools should include a real-time map of air quality conditions in the City of Hamilton to encourage alternative modes of transportation such that citizens have the opportunity to select pedestrian and cycling routes which would minimize their personal exposure to air pollution.	10 000 15 000	1st year every year after
	6	Develop and conduct particulate matter control workshops in partnership with the Ontario Ministry of the Environment for local businesses and industries.	8 000	
	7	Expand the Air Quality Outreach Program within Hamilton schools such that air quality curriculum (i.e. benefits of anti-idling, active transportation commuting routes) is promoted.	12 000	
	8	Promote programs that encourage community- based environmental monitoring and engagement within the City of Hamilton.	20 000	
Municipal Action	9	Support the revision, updating and enforcement of existing bylaws to minimize the generation and dispersion of airborne particulate matter.		
	10	Implement strategies to improve street cleaning by taking into account factors such as cleaning schedules and equipment effectiveness.	20 000 - 66000	1 year
TOTAL				

Appendix B Draft Air Quality Assessment Guidelines

Retrieved from:

www.halton.ca/common/pages/UserFile.aspx?fileId=94341

Appendix C Draft Land Use Compatibility Guidelines

Retrieved from:

http://www.halton.ca/common/pages/UserFile.aspx?fileId=94338

References

- 1. Amato, F., Querol, X., Alastuey, A., Pandolfi, M., Moreno, T., Garcia, J., Rodriguez, P. 2009. Evaluating urban PM₁₀ pollution benefit induced by street cleaning activities. Atmospheric Environment, 43:4472-4480.
- Balsillie, D. 2010. Action Plan Report of the Air Quality Task Force to the Honourable John Gerretsen, Minister of the Environment, Southwest Greater Toronto Area Oakville-Clarkson Airshed. Retrieved from: http://www.ene.gov.on.ca/stdprodconsume/groups/lr/@ene/@resources/docume-nts/resource/stdprod_080778.pdf
- Canadian Medical Association, 2008. No Breathing Room: National Illness Costs of Air Pollution. Retrieved from:
 http://www.cma.ca/multimedia/CMA/Content_Images/Inside_cma/Office_Public_Health/ICAP/CMA_ICAP_sum_e.pdf
- City of Hamilton Public Health Services. 2012. Neighbourhood Air Quality in Hamilton's Industrial Core (BOH12035). Retrieved from: http://www.hamilton.ca/NR/rdonlyres/FD681AD7-6B67-4172-A110-C090E4820C85/0/Dec03EDRMS_n383152_v1_BOH12035_Neighbourhood_Air_Quality_in_H.pdf
- City of Hamilton Public Works Department. 2011. Green Roofs and Living Walls (PW11037). Retrieved from:
 http://www.hamilton.ca/NR/rdonlyres/9AE3EB17-0A39-4650-B333-8E1CE27B3F0B/0/Jun13EDRMS_n180476_v1_8_3_PW11037.pdf
- 6. Clean Air Hamilton. 2013. Air Progress Report 2012. Retrieved from: http://www.cleanair.hamilton.ca/default.asp?id=71
- 7. Clean Air Hamilton. 2010. Air Progress Report 2009. Retrieved from: http://www.cleanair.hamilton.ca/downloads/CAH%20Report%202009-FINAL.pdf
- 8. Halton Region. 2012. Draft Air Quality Assessment Guidelines. Retrieved from: www.halton.ca/common/pages/UserFile.aspx?fileId=94341
- 9. Halton Region. 2012. Draft Land Use Compatibility Guidelines. Retrieved from: http://www.halton.ca/common/pages/UserFile.aspx?fileId=94338
- 10. Kunzli, N., Perez, L. 2009. Evidence based public health the example of air pollution. Swiss Medical Weekly, 139(17-18):242-250.
- 11. Ontario Medical Association, 2005. The Illness Costs of Air Pollution. Retrieved from: http://www.oma.org/Health/smog/report/ICAP2005 Report.pdf

- 12. Ottinger, G. 2010. Constructing Empowerment Through Interpretations of Environmental Surveillance Data. Surveillance & Society, 8(2):221-234.
- 13. Peters, E., Hibbard, J., Slovic, P., Dieckmann, N. 2007. Numeracy Skill and the Communication, Comprehension, and Use of Risk-Benefit Information. Health Affairs, 26(3):741-748.
- 14. Pope, C.A., Burnett, R.T., Thun, M.J., Calle, E.E., Krewski, D., Ito, K., Thurston, G.D., 2002. Lung Cancer, Cardiopulmonary Mortality, and Long-term Exposure to Fine Particulate Air Pollution. Journal of the American Medical Association, 287(9):1132-1141.
- 15. SENES Consulting Ltd. 2012. Health Impacts Exposure to Outdoor Air Pollution in Hamilton, Ontario. Retrieved from:

 http://www.cleanair.hamilton.ca/downloads/2011%20Clean%20Air%20Hamilton%20-%20Health%20Impacts%20FINAL%20.pdf
- 16. Stratus Consulting. 2009. A Triple Bottom Line Assessment of Traditional and Green Infrastructure Options for Controlling CSO Events in Philadelphia's Watersheds Final Report. Retrieved from: http://www.michigan.gov/documents/dnr/TBL.AssessmentGreenVsTraditionalStormwaterMgt_293337_7.pdf
- 17. Umberson, D., Crosnoe, R., Reczek, C. 2010. Social Relationships and Health Behavior Across Life Course. Annu Rev Sociol., 36:139-157.
- 18. United States Environmental Protection Agency (US EPA). 2013. Why Green Infrastructure? Retrieved from: http://water.epa.gov/infrastructure/greeninfrastructure/gi_why.cfm#airquality